

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14395	mirror\$4 near3 (data or site or node or server or system or computer or station).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:09
S2	14480	mirror\$4 near3 (data or site or node or server or system or computer or station or database or file).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:15
S3	4588	mirror\$4 near3 (data or site or node or server or system or computer or station or database or file).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:23
S4	405	mirror\$4 near3 (data).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:11
S5	322	mirror\$4 near3 (data).ti. and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 13:38
S6	10	S5 and revers\$3 near10 role	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:13
S7	8	((("4610013") or ("5561854") or ("5752196") or ("5155729") or ("5,327,127") or ("5740375") or ("5483522") or ("6425015"))).PN.	US-PGPUB; USPAT	OR	OFF	2004/12/02 13:39
S8	18	((("6,065,018") or ("6,052,797") or ("5,870,537") or ("5,734,818") or ("5,592,618") or ("5,574,950") or ("5,993,653") or ("5,901,327") or ("5,835,953") or ("5,812,748") or ("5,748,870") or ("5,745,748") or ("5,742,792") or ("5,633,999") or ("5,544,347") or ("5,537,533") or ("5,455,932") or ("4,982,324"))).PN.	US-PGPUB; USPAT	OR	OFF	2004/12/02 08:57
S9	26	(S7 or S8) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:08

S10	14345	((714/100) or (714/41) or (714/40) or (714/25) or (714/20) or (714/16) or (714/15) or (714/13) or (714/10) or (714/6) or (714/5) or (714/3) or (714/2) or (714/1) or (711/162) or (711/161) or (711/154) or (711/100) or (707/204) or (707/202) or (707/201) or (707/200) or (379/279) or (379/268) or (379/258) or (379/242) or (379/221.04) or (379/221.03) or (379/221.01) or (379/220.01) or (379/219) or (377/130) or (377/9.05) or (377/9) or (370/216) or (326/10) or (326/9)).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/02 11:08
S11	11519	S10 and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:16
S13	167127	(mirror\$3 or backup or redundant or secondary or recover\$3) near10 (data or state or storage or unit or server or computer or processor or system or node).ti,ab. and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:13
S14	1940	S11 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:17
S15	14482	mirror\$4 near3 (data or site or node or server or system or computer or station or database or file).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:16
S16	12788	S15 and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:40
S17	181	S10 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:17

S18	1955	S14 or S17 or S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:23
S19	27	S18 and emulat\$3 near10 disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:24
S20	6	S18 and emulat\$3 adj3 disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:25
S22	37	S18 and (stor\$3 or writ\$3 or enter\$3) adj5 logical adj block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:28
S23	2	S22 and (stor\$3 or writ\$3 or enter\$3) adj5 logical adj block adj (pointer or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:37
S24	0	S22 and (stor\$3 or writ\$3 or enter\$3) adj5 "only" adj3 logical adj block adj (pointer or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:37
S25	0	S18 and (stor\$3 or writ\$3 or enter\$3) adj5 "only" adj5 logical adj block adj (pointer or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:38
S26	0	S18 and (stor\$3 or writ\$3 or enter\$3) near10 logical adj block adj (pointer or number) with buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:39
S27	0	S18 and (stor\$3 or writ\$3 or enter\$3 or maintain\$3 or keep\$3) near10 logical adj block adj (pointer or number) with (queue or buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:39
S28	14	(stor\$3 or writ\$3 or enter\$3 or maintain\$3 or keep\$3) near10 logical adj block adj (pointer or number) with (queue or buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:41

S29	12	S28 and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:44
S30	366	(stor\$3 or writ\$3 or enter\$3 or maintain\$3 or keep\$3) near10 data adj5 block near5 (pointer or number or identifier or ID or identity) with (queue or buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:11
S31	322	S30 and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:09
S32	3	S31 and (stor\$3 or writ\$3 or enter\$3 or maintain\$3 or keep\$3) near10 data adj5 block near5 (pointer or number or identifier or ID or identity) with (queue or buffer) with changed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:43
S33	7	S31 and (stor\$3 or writ\$3 or enter\$3 or maintain\$3 or keep\$3) near10 data adj5 block near5 (pointer or number or identifier or ID or identity) with (queue or buffer) with chang\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:53
S34	1	S31 and (stor\$3 or writ\$3 or enter\$3 or maintain\$3 or keep\$3 or backup) near10 "only" adj3 (changed or updated or new) adj3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:58
S35	6	S31 and (stor\$3 or writ\$3 or enter\$3 or maintain\$3 or keep\$3 or backup) near10 (changed or updated or new) adj3 data with block adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:59
S37	178	(backup\$2 or stor\$3) near20 "only" near10 (updated or changed) adj (data or file) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:14
S39	1	S31 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:15

S40	207	(backup\$2 or stor\$3) near20 "only" near10 (updated or changed or modified) adj (data or file) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:25
S41	1	S31 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:16
S42	4137	(backup\$2 or stor\$3) near20 "only" near10 (updated or changed or modified or differen\$2) near5 (data or file) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:23
S43	3	S31 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:16
S44	218	(backup\$2 or stor\$3) near20 "only" near10 (differen\$2 or differentiated) adj3 (data or file) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:24
S45	4	S18 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:24
S47	2	((("5136707") or ("6035412")).PN.	US-PGPUB; USPAT	OR	OFF	2004/12/02 13:39
S48	62	("5136707").URPN.	USPAT	OR	ON	2004/12/02 13:43
S49	13	("4432057" "4631673" "4686620" "4710870" "4714992" "4714995" "4714996" "4745559" "4747130" "4752910" "4774661" "4897782" "5043866").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/02 13:43
S50	75	(S48 or S49) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:11

S51	9	S50 and mirror\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:45
S52	2339	S18 or S31 or S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:12
S53	7	S52 and (snoop\$3 or monitor\$3) adj5 bus near20 (chang\$3 or modif\$7 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:56
S54	2	S52 and virtual near5 remote near3 mirror\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:57
S55	57	(backup\$2 or stor\$3) near20 "only" near10 (updated or changed or modified) adj5 (address or index or pointer or block adj number) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:26
S56	0	S55 and (backup\$2 or stor\$3) near20 "only" near10 (updated or changed or modified) adj5 (block adj number) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:27
S57	2	S18 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:27

S58	32	((("20040073831") or ("6502205") or ("5889935") or ("6453396") or ("6571312") or ("6795890") or ("6311193") or ("6427186") or ("20010013102") or ("5136707") or ("5668986") or ("6088773") or ("5987544") or ("6237008") or ("6065018") or ("6052797") or ("5993653") or ("5901327") or ("5870537") or ("5835953") or ("5812748") or ("5748870") or ("5745748") or ("5742792") or ("5734818") or ("5633999") or ("5592618") or ("5574950") or ("5544347") or ("5537533") or ("5455932") or ("4982324"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/06/19 12:29
S59	7	S58 and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 12:29
S60	9	mirror\$4 near3 (data).ti.ab. and (snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:18
S62	0	S60 and mirror\$4 near3 (data).ti.ab. and (snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus.ti.ab. and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 13:41
S63	7	mirror\$4 near3 (data or storage) and (snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus with (read and write) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 14:41
S64	32	mirror\$4 near3 (data or storage) and (snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus with (stor\$3 or writ\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 14:46
S65	9	mirror\$4 near3 (data or storage) and (snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus with (stor\$3 or writ\$3 or command) near10 buffer\$3 and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:39

S66	6	mirror\$4 and (snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus with (writ\$3 or command) near10 buffer\$3 and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 15:03
S67	4	S66 not S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 14:56
S68	39	(snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus with (stor\$3 or writ\$3) near5 data adj5 buffer\$3 and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:24
S69	3	S68 and (mirror\$4 or backup or secondary) near10 (copy or data or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 15:05
S70	2	("5623700").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/19 15:23
S71	0	("2andsnoop").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/19 15:23
S72	0	S59 and snoop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 15:23
S73	1	S68 and (copying or mirror\$4 or duplicat\$3 or replicat\$3) adj3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:18
S74	125	(snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus with (stor\$3 or writ\$3) adj5 buffer\$3 and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:15
S75	4	S74 and (copying or mirror\$4 or duplicat\$3 or replicat\$3) adj3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:16

S76	6	SCSI adj3 analyz\$3 and (copying or mirror\$4 or duplicat\$3 or replicat\$3) adj3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:29
S77	2	S76 and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:30
S78	49	SCSI adj3 analyz\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:29
S79	23	S78 and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:30
S80	123	(replicat\$3 or duplicat\$3 or copy\$3 or mirror\$4) near3 (data or storage) and (snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus with (activity or control or writ\$3 or command) near10 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:46
S81	86	S80 and stor\$3 adj10 (activity or control or writ\$3 or command) near10 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:46
S82	46	S80 and stor\$3 adj10 bus near10 (activity or control or writ\$3 or command) near10 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:47
S83	1	(replicat\$3 or duplicat\$3 or copy\$3 or mirror\$4).ti.ab. near3 (data or storage) and (snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus with (activity or control or writ\$3 or command) near10 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:42

S84	101	(replicat\$3 or duplicat\$3 or copy\$3 or mirror\$4) near3 (data or storage) and (snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus near10 (activity or control or writ\$3 or command) near10 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:46
S86	80	S84 and stor\$3 adj10 (activity or control or writ\$3 or command) near10 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:47
S87	37	S86 and stor\$3 adj10 bus near10 (activity or control or writ\$3 or command) near10 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:57
S88	318	(replicat\$3 or duplicat\$3 or copy\$3 or mirror\$4) near3 (data or storage) and stor\$3 adj10 bus near10 (activity or access or writ\$3 or command) near10 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 16:59
S91	61	(replicat\$3 or duplicat\$3 or copy\$3 or mirror\$4) near3 (data or storage) and stor\$3 adj10 bus near10 (activity or access or writ\$3 or command) adj5 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:05
S92	1	S91 and (replicat\$3 or duplicat\$3 or copy\$3 or mirror\$4).ti.ab. near3 (data or storage) and stor\$3 adj10 bus near10 (activity or access or writ\$3 or command) adj5 (queue or FIFO or buffer\$3) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:02
S93	2	S91 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:02

S94	1275	(replicat\$3 or duplicat\$3 or copy\$3 or mirror\$4) near3 (data or storage) and (buffering or stored or storing or buffered) near10 bus near10 (activity or access or writ\$3 or command) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:07
S95	992	(replicat\$3 or duplicat\$3 or copy\$3 or mirror\$4) near3 (data or storage) and (buffering or stored or storing or buffered) near10 bus near5 (activity or access or writ\$3 or command) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:07
S96	64	(replicat\$3 or duplicat\$3 or copy\$3 or mirror\$4) near3 (data or storage).ti,ab. and (buffering or stored or storing or buffered) near10 bus near5 (activity or access or writ\$3 or command) and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:07
S97	15	(snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:08
S98	19115	(backup or duplicate or replicate or mirror\$4) near3 (data or site or node or server or system or computer or station or database or file).ti,ab. and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:24
S99	0	S98 and (analyz\$3 or snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus same (((stor\$3 or writ\$3) near5 buffer) or buffering) adj3 bus near5 command and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:28
S100	0	S98 and (analyz\$3 or snoop\$3 or monitor\$3 or passive adj listen\$3) adj5 bus same (((stor\$3 or writ\$3) near5 buffer) or buffering) adj3 bus and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:28

S10 1	1	S98 and (analyz\$3 or snoop\$3 or monitor\$3 or passive\$2 adj listen\$3) adj5 bus same (((stor\$3 or writ\$3) near5 buffer) or buffering) near5 bus and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 17:29
----------	---	---	---	----	----	------------------